Littco Littlestown Hardware & Foundry Co. Inc.

P.O. BOX 69. CHARLES ST. LITTLESTOWN, PENNSYLVANIA. 17340. 717/359•4141

DISTRIBUTOR'S NET PRICES

#89-W

Effective May 1, 1989

POLICY & TERMS

PRICES – This price list supersedes all previous lists and is subject to change without notice.

PAYMENT TERMS – 2% cash discount if paid within 10 days from date of invoice; otherwise, net 30 days.

FREIGHT TERMS – Orders totaling $700.00 or more at distributor's net cost, ordered at one time, to be shipped to one destination within the continental United States, will be shipped prepaid via carrier of our discretion. Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington and Wyoming orders must total $1,200.00 for prepaid freight. Orders totaling $700.00 or more to be shipped outside of the continental United States will be shipped prepaid only to the nearest port. Orders totaling less than $700.00 at distributor's net cost will be F.O.B. Littlestown, PA.

QUANTITY DISCOUNTS – Additional discounts will be extended on orders at distributor net cost for shipment at one time, to one destination, as follows:

ORDER AMOUNT	DISCOUNT
$1000 – 2499.99	3%
$2500 or more	5%

STANDARD PACKAGING – Standard packaging quantities are shown after each item and should be used when ordering.

NO MINIMUM ORDER REQUIRED

LIMITED WARRANTY – Five year warranty on Vises, Pumps and C-Clamps.

The Littlestown Hardware & Foundry Co., Inc. (Littco), Littlestown, Pennsylvania, warrants to the purchaser at retail that Littco's vises, pumps and c-clamps will not break and that they will operate and function properly for a period of five (5) years from the date of purchase. This warranty is limited to purchasers who use the vises, pumps and c-clamps in a reasonable manner and for the normal purposes contemplated in the trade. If the vise, pump, or c-clamp does break or if defective parts are uncovered within such five (5) year period, Littco will, in its discretion, either repair or replace the vise, pump, or c-clamp at its factory. Littco will not reimburse the purchase price or pay for consequential damages resulting from such defect or non-functioning.

Purchasers claiming on the above warranty must report the defective part of breakage, in writing, to Littco's Quality Control Department, with proof of purchase date. Littco will determine if the vise, pump, c-clamp or any part thereof shall be returned to Littco. If returns are approved, purchaser must prepay transportation charges. Littco will not accept unapproved returns.

By purchase of Littco's vises, pumps, and c-clamps with knowledge of its warranty, purchaser agrees to limit purchaser's legal remedies, whatever they may be, to actions at law or in equity in the Court of Common Pleas of Adams County, Commonwealth of Pennsylvania.

RETURNED GOODS – Our permission must be obtained before any goods are returned. We reserve the right not to accept returned goods if our permission has not been obtained.

SAFETY NOTE – Wear protective goggles when using Littco hardware items.

All Littco products made in U.S.A.

The Littlestown Hardware & Foundry Co., Inc. has provided quality Littco hardware products and castings for jobbing customers since 1916. Manufacturing facilities include grey iron and aluminum foundries with specialized services such as heat treating, plating, machining and assembly.

LITTCO VISES

Workshop Vises (Cast Iron with Steel Parts)

MODEL NO.	DESCRIPTION	JAW WIDTH	JAWS OPEN	THROAT DEPTH	APPROX. WT. EA.	STD. PACK	NET EACH
150	Workshop Vise	3½″	3½″	2″	11 lbs.	12	17.92
250	Workshop Vise	4″	3½″	2 11/16″	17¼ lbs.	6	23.52
400	Workshop Vise	4½″	4½″	3⅝″	27½ lbs.	6	36.96
450	Workshop Vise	5″	5″	3⅞″	37½ lbs.	4	50.40
500	Mechanics Vise	5½″	6″	4¼″	55 lbs.	2	97.44
700	Mechanics Vise	6½″	7″	4 15/16″	72 lbs.	2	117.60



Machinist's Vise

(Cast iron body, malleable nut, hardened steel jaws, 360° swivel base)

MODEL NO.	DESCRIPTION	JAW WIDTH	JAWS OPEN	THROAT DEPTH	APPROX. WT. EA.	STD. PACK	NET EACH
M3	Machinist's Vise with Swivel Base	3″	4″	3¼″	31 lbs.	1	92.68
M3-LB	Machinist's Vise without Swivel Base	3″	4″	3¼″	25 lbs.	1	83.72

Meets Federal Specification GGG-V-410 Type VI Class 2

No. 165



No. 166

Woodworking Vises (Cast Iron with Steel Parts)

MODEL NO.	DESCRIPTION	JAW WIDTH	JAWS OPEN	APPROX. WT. EA.	STD. PACK	NET EACH
165	Clamp-on Woodworking Vise	5¼″	3½″	5 lbs.	12	9.52
166	Woodworking Vise	6″	5″	4½ lbs.	12	9.52
197	Woodworking Vise	6⅞″	6″	9¾ lbs.	6	16.80
198	Woodworking Vise	9⅞″	9¼″	17 lbs.	6	26.88
200W	Woodworking Vise	9¾″	9¾″	21 lbs.	6	45.92



No. 197

No. 198

No. 200W

D.I.Y. Vises & Anvils (Cast Iron with Steel Parts) (Do It Yourself)



Nos. 2 & 3

MODEL NO.	DESCRIPTION	JAW WIDTH	JAWS OPEN	THROAT DEPTH	APPROX. WT. EA.	STD. PACK	NET EACH
2	Clamp-on Vise	2″	2½″	1½″	3⅛ lbs.	6	7.68
3	Clamp-on Vise	2⅜″	3″	1¾″	5¾ lbs.	3	10.48
119	Anvil	Surface 2⅛″ x 5″	—	—	8⅜ lbs.	1	8.96
219	Anvil	Surface 1⅝″ x 3¼″	—	—	1⅜ lbs.	1	2.52

Hinged Pipe Vises (Malleable Iron with Steel Parts)

No. 52-C

Nos. 51, 52, 53

MODEL NO.	DESCRIPTION	SIZE	APPROX. WT. EA.	STD. PACK	NET EACH
51	Pipe Vise	⅛″ x 1¼″	4 lbs.	1	15.12
52	Pipe Vise	⅛″ x 2″	7 lbs.	1	19.49
52-C	Clamp-on Pipe Vise	⅛″ x 2″	8½ lbs.	1	23.47
53*	Pipe Vise	⅛″ x 2½″	11½ lbs.	1	31.36

*Meets Government Specification GGG-V-415 Type 1 Class 2

Flanges (Cast Iron)

SIZE	APPROX. WT./100	STD. PACK	UNPLATED/EACH NET	PLATED/EACH NET
⅛″	11 lbs.	Bulk	.47	.50
¼″	16 lbs.	Bulk	.53	.58
⅜″	30.5 lbs.	Bulk	.73	.86
½″	39 lbs.	Bulk	.73	.86
¾″	52 lbs.	Bulk	.85	1.06
1″	60 lbs.	Bulk	.94	1.16
1¼″	70 lbs.	Bulk	1.34	1.60
1½″	110 lbs.	Bulk	1.57	1.98
2″	144 lbs.	Bulk	2.03	2.53
2½″	240 lbs.	Bulk	3.34	4.14
3″	270 lbs.	Bulk	4.78	5.78

Hand Pump (Cast Iron)

MODEL NO.	APPROX. DEPTH RATING	APPROX. WT. EA.	STD. PACK	NET EACH
110	30′	15 lbs.	10	29.00

Pump Parts

MODEL NO.	DESCRIPTION	NET EACH
118P1	Complete plunger assembly	6.00
118P2	Cup leather for plunger	1.50
118P3	Plunger rod and cage	2.41
118P4	Plunger rod	.50
118P5	Plunger cage	1.30
118P6	Plunger weight	.85
118P7	Flat leather for base valve	.75
118P8	Weight, nut & screw for flat valve leather	1.10
118P9	Flat valve leather and weight assembled	2.70
118P10	Threaded nut for plunger cage	1.25
118P11	Pump base with bolts	5.50
118P12	Pump cylinder	7.50
118P13	Pump top with set screw	3.50
118P14	Pump handle with two bolts & nuts	3.50
118P15	Bolts & nuts for pump base	.40
118P16	Bolts & nuts for pump handle	.40
118P17	Set screw for pump top	.25

No. 5

Nos. 0-4

Scoops (Cast Aluminum)

MODEL NO.	BOWL LENGTH	WIDTH	DEPTH	APPROX. WT. EA.	STD. PACK	NET EACH
92	4¼″	2″	1″	3 oz.	12	1.54
0	4½″	2⅝″	1¾″	6½ oz.	12	2.17
1	5⅜″	3⅜″	2⅛″	11 oz.	12	2.93
2	7¼″	4⅝″	2½″	1 lb. 2 oz.	12	3.87
3	9⅜″	5¼″	3¼″	1 lb. 13 oz.	12	6.28
4	9¾″	6″	3½″	1 lb. 14 oz.	12	6.49
5	10⅞″	6″	3½″	2 lbs.	12	6.85

C-Clamps

(Cast Aluminum, Heat Treated Frame with Plated Steel Screw)

SIZE	METRIC SIZE	THROAT DEPTH	APPROX. WT./PACK	STD. PACK	NET EACH
1″	3 cm	1″	1 lb.	12	2.02
1½″	4 cm	1½″	1 lb. 10 oz.	12	2.08
2″	6 cm	1″	2 lb. 6 oz.	12	2.36
2½″	7 cm	2½″	5 lb. 11 oz.	12	3.03
3″	8 cm	2½″	7 lb. 6 oz.	12	3.53
4″	10 cm	3″	7 lb. 12 oz.	6	7.17
5″	12 cm	3½″	9 lb. 6 oz.	6	8.68
6″	15 cm	4″	11 lb. 4 oz.	6	9.64

Pots & Ladles (Cast Iron)

MODEL NO.	TOP DIA.	APPROX. WT. EA.	STD. PACK	NET EACH
400	4″	2 lbs.	Bulk	2.75
500	5″	2⅞ lbs.	Bulk	4.20
600	6″	3½″ lbs.	Bulk	4.76
700	7″	7½ lbs.	Bulk	9.47

MODEL NO.	CUP DIA.	OVERALL LENGTH	APPROX. WT. EA.	STD. PACK	NET EACH
250	2½″	12½″	¾ lb.	Bulk	2.02
300	3″	13″	1 lb.	Bulk	2.47
350	3½″	15½″	1⅛ lbs.	Bulk	2.58
404	4″	16″	1¼ lbs.	Bulk	3.70

Made in USA

Tampers (Cast Iron with Hardwood Handle)



MODEL NO.	SIZE	APPROX. WEIGHT	HEIGHT	NET EACH
108	8″ x 8″	9¾ lbs.	49″	13.72
110	10″ x 10″	11¾ lbs.	49″	15.40
Handles only	1½″	2 lbs.	48″	4.00

LITTCO CEMENT TOOLS

Jointers (Cast Iron or Cast Aluminum with Wood Handles)



No. 32



No. 34



No. 35

MODEL NO.	LENGTH	WIDTH	APPROX. WT./PACK	STD. PACK	NET EACH
32*	6″	2¾″	5 lbs.	6	2.13
132**	6″	2¾″	2½ lbs.	6	2.36
34*	8″	1¾″	6½ lbs.	6	2.24
134**	8″	1¾″	3½ lbs.	6	2.58
35*	6″	3″	8½ lbs.	6	2.30
135**	6″	3″	4 lbs.	6	2.92

*Cast Iron
**Cast Aluminum
NOTE: All jointers have ½″ cut depth.

Edgers (Cast Iron or Cast Aluminum with Wood Handles)

No. 33

No. 36



No. 37

MODEL NO.	LENGTH	WIDTH	APPROX. WT./PACK	STD. PACK	NET EACH
33*	6″	2¾″	5½ lbs.	6	2.47
133**	6″	2¾″	3 lbs.	6	2.69
36*	6″	3⅝″	10 lbs.	6	3.25
136**	6″	3⅝″	4½ lbs.	6	3.70
37*	8″	1¾″	7½ lbs.	6	2.30
137**	8″	1¾″	4¾ lbs.	6	2.92

*Cast Iron
**Cast Aluminum
NOTE: Edgers 33, 133, 36 & 136 have ½″ cut depth; models 37 & 137 have ¾″ cut depth.

LITTCO HARDWARE SPECIALTIES



Floor Drains (Cast Iron)

MODEL NO.	SIZE	APPROX. WT. EA.	STD. PACK	NET EACH
6	6″ x 6″	1⅜ lbs.	Bulk	2.41
8	8″ x 8″	2½ lbs.	Bulk	3.92
10	10″ x 10″	5¼ lbs.	Bulk	7.56
12	12″ x 12″	6½ lbs.	Bulk	8.68

Post Base (Cast Aluminum)

MODEL NO.	ACTUAL SIZE	STD. PACK	NET
4 x 4	3⅛″ x 3⅛″	Bulk	1.18
6 x 6	5¼″ x 5¼″	Bulk	2.36



Wedges (Cast Aluminum)

MODEL NO.	LENGTH	WIDTH AT POINT	APPROX. WT. EA.	STD. PACK	NET EACH
180	7″	2¼″	1 lb.	Bulk	2.80
190	7½″	3⅞″	1¾ lb.	Bulk	4.93

Nos. 11 & 22

Nos. 1, 2 & 4

Pulleys (Light Duty; Cast Aluminum with Steel Eye)

MODEL NO.	ROPE SIZE	APPROX. WT./PACK	STD. PACK	NET EACH
1	3/16″	1 lb.	24	.68
2	¼″ or 5/16″	2 lbs.	24	.79
4	⅜″	2 lbs.	24	1.02
11	3/16″	2 lbs.	24	1.07
22	¼″ or 5/16″	2 lbs.	24	1.10

Cleats (Light Duty; Cast Aluminum)

No. 3

No. 1 & 2

MODEL NO.	LENGTH	APPROX. WT./PACK	STD. PACK	NET EACH
1	4½″	1 lb.	24	.31
2	6″	2 lbs.	24	.45
3*	6″	2 lbs.	24	.68

*has ⅜″ tapped hole for machine bolt

No. 50

No. 51 & 55

Hooks (Cast Aluminum)

MODEL NO.	SIZE	APPROX. WT./PACK	STD. PACK	NET EACH
50	1¼″	1 lb.	24	.56
51	3⅝″ spread	2 lbs.	24	.79
52	2¾″	2 lbs.	24	.75
53	5¾″	4 lbs.	24	.96
55	2⅝″ spread	1 lb.	24	.51

No. 52

No. 53

Tool Holder (Cast Iron)

MODEL NO.	APPROX. WT./PACK	STD. PACK	NET EACH
3-B	6 lbs.	24	1.40

Turnbuckles (Light Duty; Cast Aluminum Body with Steel Eyes)

SCREW SIZE	OVERALL LENGTH	APPROX. WT./PACK	STD. PACK	NET EACH
5/32″	3¼″	1 lb.	24	1.18
3/16″	4″	2 lbs.	24	1.19
7/32″	4½″	2 lbs.	24	1.46
¼″	5¼″	3 lbs.	12	1.74
5/16″	6¾″	5 lbs.	12	2.02
⅜″	7⅛″	9 lbs.	12	2.19

Cable Clamps

(Light Duty; Cast Aluminum Body with Steel "U" Bolt)

SIZE	APPROX. WT./PACK	STD. PACK	NET EACH
3/16"	2 lbs.	36	.43
1/4"	3 lbs.	36	.51
5/16"	3 lbs.	36	.62
3/8"	4 lbs.	36	.73

Mail Boxes (Cast Aluminum with Sheet Aluminum Backs)



No. B-720 & AB-720

No. B-770 & AB-770

MODEL NO.*	HEIGHT	WIDTH	APPROX. WT./PACK	STD. PACK**	NET EACH
B-720	8½"	12½"	16 lbs.	6	19.44
AB-720	8½"	12½"	16 lbs.	6	19.88
B-770	13"	6¼"	11 lbs.	6	17.53
AB-770	13"	6¼"	11 lbs.	6	17.92

*B – black finish; AB – antique black finish
**individually carded

Hamburger Patty Press (Cast Aluminum)

No. 9

MODEL NO.	LENGTH	WIDTH	APPROX. WT./PACK	STD. PACK	NET EACH
9	5½"	4½"	4 lbs.	6	3.76
109	9½"	5"	14 lbs.	12	8.12

Lemon & Lime Squeezer (Cast Aluminum)



MODEL NO.	LENGTH	APPROX. WT./PACK	STD. PACK	NET EACH
448	6"	3 lbs.	12	2.52

Shoe Rest (Cast Iron)



MODEL NO.	SIZE	APPROX. WT. EA.	STD. PACK	NET EACH
11	Standard	1 lb.	Bulk	1.63

Shoe Shiner Wall Bracket (Cast Aluminum)



MODEL NO.	APPROX. WT. EA.	STD. PACK*	NET EACH
80	1¼ lbs.	Bulk	7.56

Vise Parts (Cast Iron with Steel Parts)

Prices available upon request. Part name and vise model for which it is needed must be specified.